Product datasheet

DOMO TRIMLESS




10041100



DOMO 220 G2 TRIM 2000 WW

Description:

Round recessed DOMO 220 G2 TRIM 2000 WW downlight, LAMP brand. For trimless installation, without frame. Model for MID-POWER LED, warm white colour temperature and control gear included. Reflector designed by the optical concept named REDIL® (Direct Emission LED Reflector), which consists of a two-phase reflection. Insulation class II.



Finish: Matte white RAL 9010

Weight: 1.242 g

Installation: Recessed

TECHNICAL SPECIFICATIONS:

Light output: 2.054 lm °K: 3000 Plum: 23W CRI: 80 Efficacy: 89,3 lm/w 3 MacAdam:

Type: MID POWER NICHIA Power Supply: 120-240V 50/60Hz

LED Lifetime: 50.000 L90 B10 Gear: Electronic

21W Power:

Light output tolerance +/- 10%



















+34937366800


DOMO TRIMLESS





10041100

DOMO 220 G2 TRIM 2000 WW

PHOTOMETRIC DATA:







H (m)	D (m)	Emax	Emed
1	1,41	1560	891
2	2,83	390	223
3	4,24	173	99
4	5,65	98	56

Product datasheet

DOMO TRIMLESS



ACCESORIES:

Optical



Product code: Description:

8606130 DOMO 220 G2 ACC. INT OPAL DIFFUSER