


10041130

**DOMO 220 G2 ASYM 2000 WW****Description:**


Round recessed DOMO 220 G2 ASYM 2000 WW downlight, LAMP brand. With external ring in white lacquered die-cast aluminium. Model for MID-POWER LED, warm white colour temperature and control gear included. Lower asymmetric reflector in high purity aluminium and with polycarbonate opal diffuser. Insulation class II.

Finish: Matte white RAL 9010

Weight: 1.538 g

Installation: Recessed
TECHNICAL SPECIFICATIONS:


Light output:	1.534 lm	°K :	3000
Plum:	23W	CRI :	80
Efficacy:	66,7 lm/w	MacAdam:	3
Type:	MID POWER NICHIA	Power Supply:	120-240V 50/60Hz
LED Lifetime:	50.000 L90 B10	Gear:	Electronic
Power:	21W		

Light output tolerance +/- 10%


10041130

DOMO 220 G2 ASYM 2000 WW

PHOTOMETRIC DATA :



ACCESORIES :

Optical



Product code:

8606140

8606143

Description:

DOMO 220/KOMBIC ACC. TRANSP GLASS WH.

DOMO 220/KOMBIC ACC. TRANSP GLASS GR.



Product code:

8606142

Description:

DOMO 220/KOMBIC ACC. TRANSP GLASS BK.



Product code:


9200210

9200213

Description:

DOMO 220/KOMBIC ACC. DECO RING WH.

DOMO 220/KOMBIC ACC. DECO RING GR.



Product code:

9200212

Description:

DOMO 220/KOMBIC ACC. DECO RING BK.