#### **Product datasheet**

### **FIL 70 TECH**

### F71RE200MOTA840DG



## FIL 70 TECH ASYM REC 2M 3200 NW DA GR

### Description:

Recessed luminaire FIL 70 TECH ASYM REC 2M 3200 NW DA GR., LAMP brand. Made of satin grey painted extruded aluminium with REDIL® OPTICS. Model for LED MID-POWER with neutral white colour temperature and DALI electronic control gear included. Insulation class I. Environmental Product Declaration - EPD®available, according to UNE-EN ISO 9001:2015 and UNE-EN ISO 14001:2015.



Finish: Gloss grey

Dimensions: 2.000 x 70 x 70 mm Weight: 4.830 g

Installation: Recessed

2,012 x 78 x 85 mm Recessing measures:

## **TECHNICAL SPECIFICATIONS:**

Light output: 2.776 lm °K: 4000 Plum: 26,8W CRI: 80 Efficacy: 103,6 lm/w 3 MacAdam:

UGR: <19 Power Supply: 220-240V 50/60Hz Type: MID POWER LED Gear: Adjustable DALI

LED Lifetime: 50.000 L80 B10 (Ta=25°C)

Power: 25W

## Light output tolerance +/- 10%



















## **CUSTOM MADE OPTIONS:**









Data according to regulations 2019/2020/EU and 2019/2015/EU

















## **FIL 70 TECH**






### **PHOTOMETRIC DATA:**

F71RE200MOTA840DG

14740323 η = 100% Imax = 938 cd/klm UTE: 1,00B + 0,00T CIE: 70 97 99 100 100



## **FIL 70 TECH**



## ACCESORIES:

## **Assembly**



Product code:

ELWRST

#### Description:

ACC. ELECTROSTATICS WRIST STRAP



Product code:

F7COSUX/MMG F7COSUX/MMW

#### Description:

FIL 70 ACC. COVER X/MM GR. FIL 70 ACC. COVER X/MM WH.



Product code:

F7JO

#### Description:

ACC. INTM JOINT



Product code:

F7PRREX/MMG F7PRREX/MMW

#### Description:

FIL 70 ACC. REC PROFILE X/MM GR. FIL 70 ACC. REC PROFILE X/MM WH.



Product code:

F7REECG F7REECW

## Description:

FIL 70 ACC. REC END COVER GR. FIL 70 ACC. REC END COVER WH.



# Product code:

F7TEREHCG F7TEREHCW

## Description:

FIL 70 TECH ACC. REC 90° CORNER GR. FIL 70 TECH ACC. REC 90° CORNER WH.

Data according to regulations 2019/2020/EU and 2019/2015/EU