Product datasheet

FIL 70

4741460



FIL + OPAL REC IND T5 1X28/54W WH.

Description:

Recessed structure model FIL + OPAL REC IND T5 1X28/54W WH., LAMP brand. Made of matt white lacquered extruded aluminium and individual staggered reflector. Model for T5 1X28/54W lamp and multi-power control gear included. With opal polycarbonate diffuser. IP42 protection rating. Insulation class I.



Finish:Matte white RAL 9010Dimensions:1.218 x 89 x 70 mm

Weight: 4.220 g

Installation: Recessed

Recessing measures: 1,210 x 78 x 85 mm

TECHNICAL SPECIFICATIONS:

Plum:	32W/58W		
Туре:	Т5	Power Supply:	230V-50HZ
Power:	1X28/54W	Gear:	Electronic
Lampholder:	G5		



Worktitude for light

FIL 70

4741460

FIL + OPAL REC IND T5 1X28/54W WH.



4741460	180°	alpha = 106,5°	H (m)	D (m)	Emax	Emed
$\eta = 51\%$			1	2,68	819	273
Imax = 184 cd/klm UTE: 0,51E + 0,00T			0	E 05	005	
CIE: 47 78 97 100 51	90° 90°		2	5,35	205	68
			3	8,03	91	30
	0°		4	10,70	51	17

Worktitude for light

Product datasheet

FIL 70

ACCESORIES :

Optical

4700400



Description: FIL + ACC. OPAL DIFFUSER X/MM



Product datasheet

FIL 70







LAMP reserves the right to change the technical specifications of their products. These changes will allow the continual improvement of the products and will also ensure the conformity to current legal changes. Updated information is always available in our website www.lamp.es