#### Product datasheet

FIL 70

### 4741980



#### FIL + TRIM OPAL REC IND T5 1X35/49/80W

#### **Description:**

Trimless recessed structure model FIL + TRIM OPAL REC IND T5 1X35/49/80W, LAMP brand. Made of matt white lacquered extruded aluminium and individual staggered reflector. Model for T5 1X35/49/80W lamp and multipower control gear included. With opal polycarbonate diffuser. IP42 protection rating. Insulation class I.



Finish:Shiny white RAL 9010Dimensions:1.504 x 86 x 70 mm

Installation: Recessed

Recessing measures: 1,508 x 90 x 85 mm

#### **TECHNICAL SPECIFICATIONS:**

Plum:	39W/53W/84W		
Туре:	T5/T16	Power Supply:	230V-50HZ
Power:	1X35/49/80W	Gear:	Electronic
Lampholder:	G5		



Worktitude for light

FIL 70

4741980

FIL + TRIM OPAL REC IND T5 1X35/49/80W



#### **PHOTOMETRIC DATA :**

4741980	180°	alpha = 106,5°	H (m)	D (m)	Emax	Emed
η = 51% Imax = 184 cd/klm			1	2,68	1131	377
UTE: 0,51E + 0,00T	90° 90°		2	5,35	283	94
CIE: 47 78 97 100 51			3	8,03	126	42
	0°		4	10,70	71	24

### Product datasheet

# FIL 70

## ACCESORIES :

## Assembly



Product code: 4700390

Description: FIL + ACC. COVER X/MM WH.

# ACCESORIES :

## Optical



**Product code:** 4700380

Description: FIL + TRIM PROFILE X/MM WH.




Product code: 4700400 Description: FIL + ACC. OPAL DIFFUSER X/MM

Worktitude for light

Tel. +34937366800 Web www.lamp.es LAMP reserves the right to change the technical specifications of their products. These changes will allow the continual improvement of the products and will also ensure the conformity to current legal changes. Updated information is always available in our website www.lamp.es Product datasheet

FIL 70





LAMP reserves the right to change the technical specifications of their products. These changes will allow the continual improvement of the products and will also ensure the conformity to current legal changes. Updated information is always available in our website www.lamp.es