


Kombic 150 Surface

KOMBIC 150 Surface



DESCRIPTION:

Surface or suspended downlight model KOMBIC 150 SF 2000 or 3500 lm model by Lamp. Die-cast aluminium heat sink. Models with opal or optical diffuser for greater visual comfort (reaching UGR <17 in some models) COB LED of 2700 K, 3000 K or 4000 K, with CRI of 80 or 90. On/Off or Dali with the possibility of control via Bluetooth LE. With IP40 degree of protection. Isolation class I. Photobiological safety group 0..

Available finishes:

- Modelo Opal: Reflector interior en brillo, metalizado mate o blanco y acabado exterior blanco o negro.
- Modelo Optic: Reflector interior en negro y acabado exterior negro o blanco, o reflector interior en metalizado mate o blanco y acabado exterior blanco o negro.

Dimensions: diameter 150 mm

Weight: 704 g

INSTALLATION: Surface or Suspended

KOMBIC 150 SURFACE OPAL

Family	Installation	Lm LED	IP	Optic	CRI	K	Gear	Reflector Finishes	Ext. Finishes
K21	SF Surface	20 2000lm	40 IP 40	OP Opal	9 90	27 2700 K	N ON/OFF D DALI	R Bright M Metalized Matt W White	W White 02 B Black 02
		30 3000lm				30 3000 K			
		40 4000 K				40 4000 K			
		20 2000lm	40 IP 40	OP Opal	8 80	30 3000 K			
		30 3000lm				40 4000 K			
		35 3500lm							

Code configurator:

KOMBIC 150 SURFACE OPTIC

Family	Installation	Lm LED	IP	Optic	CRI	K	Gear	Reflector Finishes	Ext. Finishes
K21	SF Surface	20 2000lm	40 IP 40	WF WFL 50°	9 90	27 2700 K	N ON/OFF D DALI	B Black M Metalized Matt W White	B Black 02 W White 02
		30 3000lm				30 3000 K			
		40 4000 K				40 4000 K			
		20 2000lm	40 IP 40	WF WFL 50°	8 80	30 3000 K			
		30 3000lm				40 4000 K			
		35 3500lm							

Code configurator:

LIGHT OUTPUT AND POWER

KOMBIC 150 SURFACE OPAL

	K	CRI	2000lm		3000lm		3500lm	
			W	lm Output	W	lm Output	W	lm Output
BR	2700	90	19,8	1675	27,7	2227	-	-
		80	-	-	-	-	-	-
	3000	90	19,8	1739	27,7	2312	-	-
		80	13,4	1488	19,9	2096	27,7	2788
	4000	90	19,8	1874	27,7	2492	-	-
		80	13,4	1550	19,9	2184	27,7	2904
MA	2700	90	19,8	1606	27,7	2135	-	-
		80	-	-	-	-	-	-
	3000	90	19,8	1667	27,7	2216	-	-
		80	13,4	1427	19,9	2010	27,7	2673
	4000	90	19,8	1797	27,7	2389	-	-
		80	13,4	1486	19,9	2094	27,7	2784
WH	2700	90	19,8	1658	27,7	2203	-	-
		80	-	-	-	-	-	-
	3000	90	19,8	1720	27,7	2288	-	-
		80	13,4	1473	19,9	2074	27,7	2759
	4000	90	19,8	1854	27,7	2466	-	-
		80	13,4	1534	19,9	2161	27,7	2874

KOMBIC 150 SURFACE OPTIC

	K	CRI	2000lm		3000lm		3500lm	
			W	lm Output	W	lm Output	W	lm Output
BK	2700	90	19,8	1289	27,7	1713	-	-
		80	-	-	-	-	-	-
	3000	90	19,8	1739	27,7	1779	-	-
		80	13,4	1145	19,9	1613	27,7	2145
	4000	90	19,8	1874	27,7	1917	-	-
		80	13,4	1193	19,9	1680	27,7	2235
MA	2700	90	19,8	1293	27,7	1718	-	-
		80	-	-	-	-	-	-
	3000	90	19,8	1667	27,7	1784	-	-
		80	13,4	1148	19,9	1618	27,7	2151
	4000	90	19,8	1797	27,7	1923	-	-
		80	13,4	1196	19,9	1685	27,7	2241
WH	2700	90	19,8	1332	27,7	1771	-	-
		80	-	-	-	-	-	-
	3000	90	19,8	1720	27,7	1838	-	-
		80	13,4	1184	19,9	1677	27,7	2217
	4000	90	19,8	1854	27,7	1982	-	-
		80	13,4	1233	19,9	1737	27,7	2310

Kombic 150 Surface

FINISHES:

B: Black 02: ● RAL 9011 BLACK MATE

W: White 02: ○ RAL 9010 WHITE MATE

TECHNICAL SPECIFICATIONS:




QUALITY CERTIFICATES:




PHOTOMETRIC DATA :


Opal




WFL 50°



Opal



WFL 50°



Kombic 100 Surface CRI 90

ACCESSORIES:

**Product Code:**

K2SUCARG0500DB
K2SUCARG0500NB
K2SUCARG1000DB
K2SUCARG1000NB

Description:

KOMBIC 150 SF ACC ELEC 5P RIGI SUS 0.5 B
KOMBIC 150 SF ACC ELEC 3P RIGI SUS 0.5 B
KOMBIC 150 SF ACC ELEC 5P RIGI SUS 1M B
KOMBIC 150 SF ACC ELEC 3P RIGI SUS 1M B

**Product Code:**

K2SUCARG0500DW
K2SUCARG0500NW
K2SUCARG1000DW
K2SUCARG1000NW

Description:

KOMBIC 150 SF ACC ELEC 5P RIGI SUS 0.5 W
KOMBIC 150 SF ACC ELEC 3P RIGI SUS 0.5 W
KOMBIC 150 SF ACC ELEC 5P RIGI SUS 1M W
KOMBIC 150 SF ACC ELEC 3P RIGI SUS 1M W

**Product Code:**

K2SUCAWI2000DB
K2SUCAWI2000NB

Description:

KOMBIC 150 SF ACC. ELEC 5P SUSP 2M BK.
KOMBIC 150 SF ACC. ELEC 3P SUSP 2M BK

**Product Code:**

K2SUCAWI2000DW
K2SUCAWI2000NW

Description:

KOMBIC 150 SF ACC. ELEC 5P SUSP 2M WH.
KOMBIC 150 SF ACC. ELEC 3P SUSP 2M WH.