## **IMAG G3**








#### **DESCRIPTION:**

Projector to adapt to universal multi-directional three-phase rail model IMAG G3 of the LAMP brand. Manufactured in aluminum injection, high purity aluminum reflector. Active dissipation for a correct thermal management. Models for COB CRI90 LED, with luminous fluxes of 2,000, 3,000 and 4,000 lm. Warm to neutral white color temperature. Available in Spot, Medium flood, Flood and Wide flood. Degree of protection IP20. Insulation class II. Life hours: 50,000 L80 B10. Available finishes: White (RAL 9016) and black (RAL 7021).



#### Available finishes:

- Black or white.

Dimensions: 130x94mm

Weight: 1192 g

**INSTALLATION:** Three-phase rail

#### IMAG G3

Family	Installation	Lm LED	Optic		CRI		K	K		ear	Finishes	
IM3	TK Track	20 2000lm 30 3000lm 40 4000lm	MF	MFL 22°-26°	9	90		3000 k 4000 k	N	ON/OFF	W White 09 B Black 05	

#### Code configurator:

## FINISHES:

B: Black 05: ● RAL 7021 TEXT. MATT

W: White 05: O RAL 9016 WHITE TEXTURIZED

## **TECHNICAL SPECIFICATIONS:**















QUALITY CERTIFICATES:








# **IMAG G3**




## **PHOTOMETRIC DATA:**











SP






MFL






FL





WFL





## **IMAG G3**



## **ACCESSORIES:**



**Product Code:** ADRD170B

Description: LOOK/IMAG ACC. ADAPTOR



**Product Code:** SCRD170B

Description: LOOK/IMAG ACC. SCREEN



**Product Code:** ELRD150

Description: LOOK/IMAG ACC. FRESNEL LENS



**Product Code:** LORD170B

Description:

LOOK/IMAG ACC. ANTI-GLARE LOUVRES



**Product Code:** HORD150

Description:

LOOK/IMAG ACC. HONEYCOMB GRILLE



**Product Code:** CURD95B

Description:

LOOK/IMAG ACC. BUFFER