


10141032

**KOMBIC 200 SF 3000 IP20 NW OPAL BR/BK****Description:**


Suspended or ceiling mounting downlight model KOMBIC 200 SF 3000 IP20 NW OPAL BR/BK, LAMP brand. Made of black colour injected polycarbonate with shiny metallized reflector and interior diffuser made of opal méthacrylate. Passive dissipation for a proper thermal management. Model for MID POWER LED with neutral white colour temperature and control gear included. Insulation class II. Photobiological safety group 0.

Finish: Matte black RAL 9011

Weight: 1.618 g

Installation: Surface
TECHNICAL SPECIFICATIONS:

Light output:	2.171 lm	°K :	4000
Plum:	18W	CRI :	80
Efficacy:	120,6 lm/w	MacAdam:	3
Type:	MID POWER TRIDONIC	Power Supply:	220-240V 50/60Hz
LED Lifetime:	50.000 L80 B10	Gear:	Electronic
Power:	17W		


Light output tolerance +/- 10%


KOMBIC 200 SURFACE

10141032


KOMBIC 200 SF 3000 IP20 NW OPAL BR/BK

PHOTOMETRIC DATA :



ACCESORIES :

Assembly

**Product code:**

10100900

Description:

KOMBIC 200 SF ACC. COVER

ACCESORIES :

Suspension

**Product code:**

9621010

9621020

9621050

9621100

Description:

ACC. ELECMEC RIGID SUSP 100MM WH.

ACC. ELECMEC RIGID SUSP 250MM WH.

ACC. ELECMEC RIGID SUSP 500MM WH.

ACC. ELECMEC RIGID SUSP 1000MM WH.

**Product code:**

9621013

9621023

9621053

9621103

Description:

ACC. ELECMEC RIGID SUSP 100MM GR.

ACC. ELECMEC RIGID SUSP 250MM GR.

ACC. ELECMEC RIGID SUSP 500MM GR.

ACC. ELECMEC RIGID SUSP 1000MM GR.

**Product code:**

9627490

Description:

ACC. DB ELECMEC SUSP WH.

**Product code:**

9627493

Description:

ACC. DB ELECMEC SUSP GR.