


KOMBIC 200 SURFACE

10141042



KOMBIC 200 SF 4000 IP20 WW OPAL BR/BK

Description:


Suspended or ceiling mounting downlight model KOMBIC 200 SF 4000 IP20 WW OPAL BR/BK, LAMP brand. Made of black colour injected polycarbonate with shiny metallized reflector and interior diffuser made of opal methacrylate. Passive dissipation for a proper thermal management. Model for MID POWER LED with warm white temperature and control gear included. Insulation class II. Photobiological safety group 0.

Finish: Matte black RAL 9011

Weight: 2.262 g


Installation: Surface
TECHNICAL SPECIFICATIONS:


Light output:	2.800 lm	°K :	3000
Plum:	25,8W	CRI :	80
Efficacy:	108,5 lm/w	MacAdam:	3
Type:	MID POWER TRIDONIC	Power Supply:	220-240V 50/60Hz
LED Lifetime:	50.000 L80 B10	Gear:	Electronic
Power:	24W		

Light output tolerance +/- 10%


10141042 KOMBIC 200 SF 4000 IP20 WW OPAL BR/BK

PHOTOMETRIC DATA :



ACCESORIES :
Assembly**Product code:**

10100900

Description:

KOMBIC 200 SF ACC. COVER

ACCESORIES :
Suspension**Product code:**

9621010

Description:

ACC. ELECMEC RIGID SUSP 100MM WH.

9621020

ACC. ELECMEC RIGID SUSP 250MM WH.

9621050

ACC. ELECMEC RIGID SUSP 500MM WH.

9621100

ACC. ELECMEC RIGID SUSP 1000MM WH.

**Product code:**

9621013

Description:

ACC. ELECMEC RIGID SUSP 100MM GR.

9621023

ACC. ELECMEC RIGID SUSP 250MM GR.

9621053

ACC. ELECMEC RIGID SUSP 500MM GR.

9621103

ACC. ELECMEC RIGID SUSP 1000MM GR.

**Product code:**

9627490

Description:

ACC. DB ELECMEC SUSP WH.

**Product code:**

9627493

Description:

ACC. DB ELECMEC SUSP GR.