Product datasheet

STORMBELL


10440000



STORMBELL DECO 3000 NW FL WH.

Description:

Suspended downlight model STORMBELL DECO 3000 NW FL WH., LAMP brand. Made of shiny white extruded and injected aluminium body with polycarbonate opal ring. Model for COB with neutral white colour temperature and control gear included on shiny white decorative rose. Flood aluminium reflector. Insulation class I.



Shiny white RAL 9010 Finish:

Weight: 4.504 g

Installation: Suspended

TECHNICAL SPECIFICATIONS:

Light output: 2.722 lm °K: 4000 Plum: 26,3W CRI: 80 Efficacy: 103,5 lm/w MacAdam: <3

Type: COB CITIZEN Power Supply: 220-240V 50/60Hz

LED Lifetime: 50.000 L80 B10 Gear: Electronic

25W Power:

Light output tolerance +/- 10%











Web www.lamp.es


STORMBELL




10440000

STORMBELL DECO 3000 NW FL WH.

PHOTOMETRIC DATA:





alpha = 39,3°	H (m)	D (m)	Emax	Emed
	1	0,71	4761	3144
	2	1,43	1190	786
	3	2,14	529	349
	4	2,86	298	196

STORMBELL



ACCESORIES:

Optical



Product code:

10400100



STORMBELL ACC. BELL WH.



Product code:

10400102

Description:

STORMBELL ACC. BELL BK.



Product code:

10400120

Description:

STORMBELL ACC. BELL OPAL



Product code:

10400132

Description:

STORMBELL ACC. HONEYCOMB GRILLE



Product code:

10400140

Description:

STORMBELL ACC. TRANS GLASS



Product code:

10400150

Description:

STORMBELL ACC. OPAL GLASS