#### **Product datasheet**

#### **STORMBELL**




#### 10440030



### STORMBELL DECO 5000 NW WFL WH.

#### Description:

Suspended downlight model STORMBELL DECO 5000 NW WFL WH., LAMP brand. Made of shiny white extruded and injected aluminium body with polycarbonate opal ring. Model for COB with neutral white colour temperature and control gear included on shiny white decorative rose. Wide Flood aluminium reflector. Insulation class I.



Shiny white RAL 9010 Finish:

Weight: 4.592 g

Installation: Suspended

### **TECHNICAL SPECIFICATIONS:**

Light output: 4.837 lm °K: 4000 Plum: 47,4W CRI: 80 Efficacy: 102 lm/w MacAdam: <3

Type: COB CITIZEN Power Supply: 100-240V 50/60Hz

LED Lifetime: 50.000 L80 B10 Gear: Electronic

44W Power:

#### Light output tolerance +/- 10%














### **STORMBELL**





10440030

### STORMBELL DECO 5000 NW WFL WH.

#### **PHOTOMETRIC DATA:**







### **STORMBELL**



# ACCESORIES:

### Optical



Product code:

10400100



STORMBELL ACC. BELL WH.



Product code:

10400102

Description:

STORMBELL ACC. BELL BK.



Product code:

10400120

### Description:

STORMBELL ACC. BELL OPAL



Product code:

10400132

Description:

STORMBELL ACC. HONEYCOMB GRILLE



Product code:

10400140

## Description:

STORMBELL ACC. TRANS GLASS



Product code:

10400150

Description:

STORMBELL ACC. OPAL GLASS