Product datasheet

STORMBELL




10441012



STORMBELL DECO 3000 WW WFL BK.

Description:

Suspended downlight model STORMBELL DECO 3000 WW WFL BK., LAMP brand. Made of shiny black extruded and injected aluminium body with polycarbonate opal ring. Model for COB with warm white colour temperature and control gear included on shiny black decorative rose. Wide Flood aluminium reflector. Insulation class I.



Shiny black RAL 9011 Finish:

Weight: 4.504 g

Installation: Suspended

TECHNICAL SPECIFICATIONS:

Light output: 2.985 lm °K: 3000 Plum: 26,3W CRI: 80 Efficacy: 113,5 lm/w MacAdam: <3

Type: COB CITIZEN Power Supply: 220-240V 50/60Hz

LED Lifetime: 50.000 L80 B10 Gear: Electronic

25W Power:

Light output tolerance +/- 10%













STORMBELL



385


171


96


10441012

STORMBELL DECO 3000 WW WFL BK.

PHOTOMETRIC DATA:







STORMBELL



ACCESORIES:

Optical



Product code:

10400100



STORMBELL ACC. BELL WH.



Product code:

10400102

Description:

STORMBELL ACC. BELL BK.



Product code:

10400120

Description:

STORMBELL ACC. BELL OPAL



Product code:

10400132

Description:

STORMBELL ACC. HONEYCOMB GRILLE



Product code:

10400140

Description:

STORMBELL ACC. TRANS GLASS



Product code:

10400150

Description:

STORMBELL ACC. OPAL GLASS