#### **Product datasheet**

#### **STORMBELL**




#### 10441022



### STORMBELL DECO 5000 WW FL BK.

#### Description:

Suspended downlight model STORMBELL DECO 5000 WW FL BK., LAMP brand. Made of shiny black extruded and injected aluminium body with polycarbonate opal ring. Model for COB with warm white colour temperature and control gear included on shiny black decorative rose. Flood aluminium reflector. Insulation class I.



Shiny black RAL 9011 Finish:

Weight: 4.592 g

Installation: Suspended

### **TECHNICAL SPECIFICATIONS:**

Light output: 4.152 lm °K: 3000 Plum: 47,4W CRI: 80 Efficacy: 87,6 lm/w MacAdam: <3

Type: COB CITIZEN Power Supply: 100-240V 50/60Hz

LED Lifetime: 50.000 L80 B10 Gear: Electronic

44W Power:

#### Light output tolerance +/- 10%













Tel. +34937366800


# **STORMBELL**




10441022

### STORMBELL DECO 5000 WW FL BK.

#### **PHOTOMETRIC DATA:**





alpha = 39,3°	H (m)	D (m)	Emax	Emed
	1	0,71	7309	4825
	2	1,43	1827	1206
	3	2,14	812	536
	4	2,86	457	302

### **STORMBELL**



# ACCESORIES:

### Optical



Product code:

10400100



STORMBELL ACC. BELL WH.



Product code:

10400102

Description:

STORMBELL ACC. BELL BK.



Product code:

10400120

### Description:

STORMBELL ACC. BELL OPAL



Product code:

10400132

Description:

STORMBELL ACC. HONEYCOMB GRILLE



Product code:

10400140

## Description:

STORMBELL ACC. TRANS GLASS



Product code:

10400150

Description:

STORMBELL ACC. OPAL GLASS