


10441031

**STORMBELL 5000 WW WFL WH.****Description:**

Suspended downlight model STORMBELL 5000 WW WFL WH., LAMP brand. Made of shiny white extruded and injected aluminium body. Model for COB with warm white colour temperature and control gear included on shiny white decorative rose. Wide Flood aluminium reflector. Insulation class I.

Finish: Shiny white RAL 9010

Weight: 4.592 g

Installation: Suspended
TECHNICAL SPECIFICATIONS:


Light output:	3.795 lm	°K :	3000
Plum:	47,4W	CRI :	80
Efficacy:	80,1 lm/w	MacAdam:	<3
Type:	COB CITIZEN	Power Supply:	100-240V 50/60Hz
LED Lifetime:	50.000 L80 B10	Gear:	Electronic
Power:	44W		

Light output tolerance +/- 10%


10441031

STORMBELL 5000 WW WFL WH.

PHOTOMETRIC DATA :



ACCESORIES :

Optical



Product code:

10400100

Description:

STORMBELL ACC. BELL WH.



Product code:

10400102

Description:

STORMBELL ACC. BELL BK.




Product code:

10400120

Description:

STORMBELL ACC. BELL OPAL



Product code:

10400132

Description:

STORMBELL ACC. HONEYCOMB GRILLE



Product code:

10400140

Description:

STORMBELL ACC. TRANS GLASS



Product code:

10400150

Description:

STORMBELL ACC. OPAL GLASS