Product datasheet

IMAG

Worktitude for light


10843330



IMAG G2 SUR 2000 WW SP WH.

Description:

Multi-directional for wall or ceiling mounting projector model IMAG G2 SUR 2000 WW SP WH., LAMP brand. Manufactured with aluminium die casting and polycarbonate finished in texturized white. Passive dissipation for thermal management. Model for COB LED, with warm white colour temperature and control gear included. High quality aluminium Spot reflector. Insulation class II.



Finish: Texturised matt white RAL 9016

Weight: 1.482 g

Installation: Surface

TECHNICAL SPECIFICATIONS:

 Light output:
 1.582 lm
 °K:
 3000

 Plum:
 16,8W
 CRI:
 80

 Efficacy:
 94,1 lm/w
 MacAdam:
 3

Type: COB PHILIPS Power Supply: 220-240V 50/60Hz

LED Lifetime: 50.000 L80 B10 Gear: Electronic

Power: 15W

Light output tolerance +/- 10%





















Data according to regulations 2019/2020/EU and 2019/2015/EU


IMAG






IMAG G2 SUR 2000 WW SP WH.

PHOTOMETRIC DATA:





alpha = 15,4°	H (m)	D (m)	Emax	Emed
\wedge	1	0,27	10842	7344
	2	0,54	2711	1836
	3	0,81	1205	816
	4	1,08	678	459

Product datasheet

IMAG



ACCESORIES:

Optical



Product code:

9600252



LOOK/IMAG ACC. ADAPTOR



Product code:

9600262



LOOK/IMAG ACC. FRESNEL LENS



Product code:

9600272

Description:

LOOK/IMAG ACC. HONEYCOMB GRILLE



Product code:

9600282

Description:

LOOK/IMAG ACC. SCREEN



Product code:

9600292

Description:

LOOK/IMAG ACC. ANTI-GLARE LOUVRES



Product code:

9600372

Description:

LOOK/IMAG ACC. BUFFER

IMAG



