Product datasheet

FIL 50

14740580



FIL LED G2 PRISM REC 9200 NW WH.

Description:

Recessed luminaire model FIL LED G2 PRISM REC 9200 NW WH., LAMP brand. Made of satin white painted extruded aluminium with prismatic polycarbonate diffuser. Model for MID-POWER LED, neutral white colour temperature and control gear included. Glare rating <19 (for 4h, 8h 70/50/20). With a IP42, IK07 protection rating. Insulation class I. Photobiological safety group 0.



Finish: Matte white RAL 9010

1.700 x 66 x 67 mm Dimensions: Weight: 2.860 g

Installation: Recessed

1,710 x 52 x 80 mm Recessing measures:

TECHNICAL SPECIFICATIONS:

Light output: 5.913 lm °K: 4000 Plum: 55W CRI: 80 Efficacy: 107,5 lm/w 3 MacAdam:

Type: MID POWER TRIDONIC Power Supply: 220-240V 50/60Hz

LED Lifetime: 50000 L70 B10 Gear: Electronic

55W Power:

Light output tolerance +/- 10%

























+34937366800

FIL 50







FIL LED G2 PRISM REC 9200 NW WH.

PHOTOMETRIC DATA:







	H (m)	D (m)	Emax	Emed
	1	1,31	3605	2544
	2	2,62	901	636
	3	3,93	401	283
1	4	5,24	225	159

Product datasheet

FIL 50



ACCESORIES:

Assembly



4700580 FIL ACC. REC PROFILE X/MM WH.
4700583 FIL ACC. REC PROFILE X/MM GR.
4705100 FIL ACC. COVER X/MM WH.
4705103 FIL ACC. COVER X/MM GR.

Description:



Product code:

4705210 4705213

Description:

FIL ACC. REC 90° CORNER WH. FIL ACC. REC 90° CORNER GR.



Product code:

4706450 FIL ACC. REC END COVER WH. 4706453 FIL ACC. REC END COVER GR.

Description:

Description:



Product code:

9600990

Description:

ACC. ELECTROSTATICS WRIST STRAP



Product code:

9606010 ACC. INTM JOINT B