


14740703

**FIL + LED PRISM REC 2600 NW GR.****Description:**


Recessed luminaire model FIL + LED PRISM REC 2600 NW GR., LAMP brand. Made of satin grey painted extruded aluminium with prismatic polycarbonate diffuser. Model for MID-POWER LED, with neutral white colour temperature and control gear included. Glare rating <19 (for 4h, 8h 70/50/20). IP42, IK06 protection rating. Insulation class I. Photobiological safety group 0.

Finish: Gloss grey**Dimensions:** 1.162 x 70 x 70 mm**Weight:** 2.767 g**Installation:** Recessed**Recessing measures:** 1,174 x 78 x 85 mm**TECHNICAL SPECIFICATIONS:**

Light output:	2.300 lm	°K :	4000
Plum:	19,4W	CRI :	80
Efficacy:	118,6 lm/w	MacAdam:	3
Type:	MID POWER PHILIPS	Power Supply:	220-240V 50/60Hz
LED Lifetime:	50.000 L80 B10	Gear:	Electronic
Power:	17W		


Light output tolerance +/- 10%

PHOTOMETRIC DATA :



ACCESORIES :

Assembly




Product code:

4700070
4700073

Description:

FIL + TECH ACC. REC 90° CORNER WH.
FIL + TECH ACC. REC 90° CORNER GR.




Product code:

4700390
4700393

Description:

FIL + ACC. COVER X/MM WH.
FIL + ACC. COVER X/MM GR.




Product code:

4700490
4700493

Description:

FIL70 ACC. REC PROFILE X/MM WH.
FIL + ACC. REC PROFILE X/MM GR.



Product code:

4700680
4700683

Description:

FIL + ACC. REC END COVER WH.
FIL + ACC. REC END COVER GR.



Product code:

4806043

Description:

ACC. INTM JOINT



Product code:

9600990

Description:

ACC. ELECTROSTATICS WRIST STRAP

