



14741000

**FIL + LED CORNER OPAL SUS 1300 WW WH.****Description:**


Suspended or mounted surface luminaire 90° corner model FIL + LED CORNER OPAL SUS 1300 WW WH LAMP brand. Made of matt white painted extruded aluminium with opal polycarbonate diffuser. Model for LED MID-POWER with warm white colour temperature and control gear included. IP42, IK06 protection rating. Insulation class I. Photobiological safety group 0.

Finish: Matte white RAL 9010

Weight: 1.416 g

Installation: Suspended
TECHNICAL SPECIFICATIONS:


Light output:	996 lm	°K :	3000
Plum:	10,1W	CRI :	80
Efficacy:	98,6 lm/w	MacAdam:	3
Type:	MID POWER PHILIPS	Power Supply:	220-240V 50/60Hz
LED Lifetime:	50000 L80 B10	Gear:	Electronic
Power:	9W		

Light output tolerance +/- 10%


14741000


FIL + LED CORNER OPAL SUS 1300 WW WH.

PHOTOMETRIC DATA :



ACCESORIES :

Assembly




Product code:

4700110
4700113

Description:

FIL + ACC. SUS 90° CORNER WH.
FIL + ACC. SUS 90° CORNER GR.




Product code:

4700390
4700393
4700480
4700483

Description:

FIL + ACC. COVER X/MM WH.
FIL + ACC. COVER X/MM GR.
FIL + ACC. SUS PROFILE X/MM WH.
FIL + ACC. SUS PROFILE X/MM GR.



Product code:

4700430
4700433

Description:

FIL + ACC. 90° WALL CORNER WH.
FIL + ACC. 90° WALL CORNER GR.



Product code:

4700670
4700673

Description:

FIL + ACC. SUS END COVER WH.
FIL + ACC. SUS END COVER GR.



Product code:

4700700
4700703

Description:

FIL + ACC. SUS END COVER PC WH.
FIL + ACC. SUS END COVER PC GR.



Product code:

4806043

Description:

ACC. INTM JOINT



Product code:

9600990


Description:

ACC. ELECTROSTATICS WRIST STRAP

ACCESORIES :

Optical

FIL 70



Product code:

4700400

Description:

FIL + ACC. OPAL DIFFUSER X/MM