Product datasheet

FIL 70




14741003



FIL + LED CORNER OPAL SUS 1300 WW GR.

Description:

Suspended or mounted surface luminaire 90° corner model FIL + LED CORNER OPAL SUS 1300 WW GR., LAMP brand. Made of satin grey painted extruded aluminium with opal polycarbonate diffuser. Model for LED MID-POWER with warm white colour temperature and control gear included. IP42, IK06 protection rating. Insulation class I. Photobiological safety group 0.



Finish: Gloss grey Weight: 1.416 g

Installation: Suspended

TECHNICAL SPECIFICATIONS:

Light output: 996 lm °K: 3000 Plum: 10,1W CRI: 80 Efficacy: 98,6 lm/w 3 MacAdam:

Type: MID POWER PHILIPS Power Supply: 220-240V 50/60Hz

LED Lifetime: 50000 L80 B10 Gear: Electronic

9W Power:

Light output tolerance +/- 10%

CLASE AI

IK 06


























Data according to regulations 2019/2020/EU and 2019/2015/EU







FIL + LED CORNER OPAL SUS 1300 WW GR.

PHOTOMETRIC DATA:







Product datasheet

FIL 70



ACCESORIES:

Assembly



Product code:

4700110 4700113

Description:

FIL + ACC. SUS 90° CORNER WH. FIL + ACC. SUS 90° CORNER GR.



Product code:

4700390 FIL + ACC. COVER X/MM WH.
4700393 FIL + ACC. COVER X/MM GR.
4700480 FIL + ACC. SUS PROFILE X/MM WH.
4700483 FIL + ACC. SUS PROFILE X/MM GR.

Description:



Product code:

4700430 4700433

Description:

FIL + ACC. 90° WALL CORNER WH. FIL + ACC. 90° WALL CORNER GR.



Product code:

4700670 4700673



Description:

FIL + ACC. SUS END COVER WH. FIL + ACC. SUS END COVER GR.



Product code:

4700700 4700703

Description:

FIL + ACC. SUS END COVER PC WH. FIL + ACC. SUS END COVER PC GR.



Product code:

4806043

Description:

ACC. INTM JOINT



Product code:

Description:

9600990 ACC. ELECTROSTATICS WRIST STRAP

ACCESORIES :

Optical

Product datasheet

FIL 70





Product code:

Description:

4700400 FIL + ACC. OPAL DIFFUSER X/MM