




14741013

**FIL + LED CORNER OPAL SUS 2200 WW GR.****Description:**


Suspended or mounted surface luminaire 90° corner model FIL + LED CORNER OPAL SUS 2200 WW GR., LAMP brand. Made of satin grey painted extruded aluminium with opal polycarbonate diffuser. Model for LED MID-POWER with warm white colour temperature and control gear included. IP42, IK06 protection rating. Insulation class I. Photobiological safety group 0.

Finish: Gloss grey**Weight:** 1.416 g**Installation:** Suspended**TECHNICAL SPECIFICATIONS:**

Light output:	1.685 lm	°K :	3000
Plum:	16W	CRI :	80
Efficacy:	105,3 lm/w	MacAdam:	3
Type:	MID POWER PHILIPS	Power Supply:	220-240V 50/60Hz
LED Lifetime:	50000 L80 B10	Gear:	Electronic
Power:	14W		


Light output tolerance +/- 10%

PHOTOMETRIC DATA :



ACCESORIES :

Assembly



Product code:

4700110
4700113

Description:

FIL + ACC. SUS 90° CORNER WH.
FIL + ACC. SUS 90° CORNER GR.



Product code:

4700390
4700393
4700480
4700483

Description:

FIL + ACC. COVER X/MM WH.
FIL + ACC. COVER X/MM GR.
FIL + ACC. SUS PROFILE X/MM WH.
FIL + ACC. SUS PROFILE X/MM GR.



Product code:

4700430
4700433

Description:

FIL + ACC. 90° WALL CORNER WH.
FIL + ACC. 90° WALL CORNER GR.



Product code:

4700670
4700673

Description:

FIL + ACC. SUS END COVER WH.
FIL + ACC. SUS END COVER GR.



Product code:

4700700
4700703

Description:

FIL + ACC. SUS END COVER PC WH.
FIL + ACC. SUS END COVER PC GR.



Product code:

4806043

Description:

ACC. INTM JOINT



Product code:

9600990


Description:

ACC. ELECTROSTATICS WRIST STRAP

ACCESORIES :

Optical

FIL 70



Product code:
4700400

Description:
FIL + ACC. OPAL DIFFUSER X/MM