Product datasheet

FIL 70

14741700



FIL + LED PRISM REC 2600 WW WH.

Description:

Recessed luminaire model FIL + LED PRISM REC 2600 WW WH., LAMP brand. Made of matt white painted extruded aluminium with prismatic polycarbonate diffuser. Model for MID-POWER LED, with warm white colour temperature and control gear included. Glare rating <19 (for 4h, 8h 70/50/20). IP42, IK06 protection rating. Insulation class I. Photobiological safety group 0.



Finish: Matte white RAL 9010

1.162 x 70 x 70 mm Dimensions: Weight: 2.767 g

Installation: Recessed

1,174 x 78 x 85 mm Recessing measures:

TECHNICAL SPECIFICATIONS:

Light output: 2.218 lm °K: 3000 Plum: 19,4W CRI: 80 Efficacy: 114,4 lm/w 3 MacAdam:

Type: MID POWER PHILIPS Power Supply: 220-240V 50/60Hz

LED Lifetime: 50.000 L80 B10 Gear: Electronic

17W Power:

Light output tolerance +/- 10%































Data according to regulations 2019/2020/EU and 2019/2015/EU

FIL 70







FIL + LED PRISM REC 2600 WW WH.

PHOTOMETRIC DATA:

14741700 $_{\eta}$ = 100% I_{max} = 614 cd/kIm UTE: 1,00C I_{max} CIE: 70 95 99 100 100





H (m)	D (m)	Emax	Emed
1	1,63	1353	697
2	3,25	338	174
3	4,88	150	77
4	6,51	85	44

Product datasheet

FIL 70



ACCESORIES:

Assembly



Product code:

4700070 4700073

Description:

FIL + TECH ACC. REC 90° CORNER WH.
FIL + TECH ACC. REC 90° CORNER GR.



Product code:

4700390 4700393

Description:

FIL + ACC. COVER X/MM WH.
FIL + ACC. COVER X/MM GR.



Product code:

4700490 4700493

Description:

FIL + ACC. REC PROFILE X/MM WH.



Product code:

4700680 4700683

Description:

FIL + ACC. REC END COVER WH. FIL + ACC. REC END COVER GR.



Product code:

4806043

Description:

ACC. INTM JOINT



Product code:

9600990

Description:

ACC. ELECTROSTATICS WRIST STRAP

FIL 70



