


14780410


FIL LED G2 OPAL SUS 4600 NW DALI WH.
Description:
Finish: Matte white RAL 9010

Dimensions: 1.700 x 50 x 67 mm

Weight: 2.768 g

Installation: Surface

TECHNICAL SPECIFICATIONS:
Light output: 3.006 lm

°K : 4000

Plum: 31,2W

CRI : 80

Efficacy: 96,3 lm/w

MacAdam: 3


Type: MID POWER TRIDONIC

Power Supply: 220-240V 50/60Hz

LED Lifetime: 50000 L80 B10

Gear: Adjustable DALI


Power: 28W

Light output tolerance +/- 10%


14780410

FIL LED G2 OPAL SUS 4600 NW DALI WH.

PHOTOMETRIC DATA :



ACCESORIES :

Assembly

**Product code:**


4700420

4700423

Description:

FIL ACC. 90° WALL CORNER WH.

FIL ACC. 90° WALL CORNER GR.

**Product code:**


4700440

4700443

Description:

FIL ACC. SUS END COVER PC WH.

FIL ACC. SUS END COVER PC GR.

**Product code:**


4705000

4705003

Description:

FIL ACC. SUS PROFILE X/MM WH.

FIL ACC. SUS PROFILE X/MM GR.

**Product code:**


4705100

4705103

Description:

FIL ACC. COVER X/MM WH.

FIL ACC. COVER X/MM GR.

**Product code:**


4705200

4705203

Description:

FIL ACC. SUS 90° CORNER WH.

FIL ACC. SUS 90° CORNER GR.

**Product code:**


4705500

4705503

Description:

FIL ACC. SUS REV INTM COVER WH.

FIL ACC. SUS REV INTM COVER GR.

**Product code:**

4705510

4705513

Description:

FIL ACC. SUS REV END COVER WH.


FIL ACC. SUS REV END COVER GR.

**Product code:**

9600990

Description:

ACC. ELECTROSTATICS WRIST STRAP

**Product code:**

9606010

Description:

ACC. INTM JOINT B

ACCESSORIES :**Suspension****Product code:**

9601010

Description:

ACC. RIGID SUSP 100MM WH.

9601020

ACC. RIGID SUSP 250MM WH.

9601050

ACC. RIGID SUSP 500MM WH.

9601100

ACC. RIGID SUSP 1000MM WH.

**Product code:**

9601313

Description:

ACC. QUICK STEEL CABLE 1M NK.

9601343

ACC. QUICK STEEL CABLE 4M NK.

**Product code:**

9607610

Description:

ACC. SUR FIXING WH.

9607613

ACC. SUR FIXING NK.

**Product code:**

9608590

Description:

ACC. RIGID SUSP FIXING JOINT WH.

**Product code:**


9608640

Description:

ACC. ELEC 3P SUSP WH.

9658640

ACC. ELEC 5P SUSP WH.

**Product code:**

9608643

Description:

ACC. ELEC 3P SUSP GR.

9658643

ACC. ELEC 5P SUSP GR.



Product code:

9621000

Description:

ACC. ELECMEC SUR FIXING WH.



Product code:

9621003

Description:

ACC. ELECMEC SUR FIXING GR.



Product code:

9621010

Description:

ACC. ELECMEC RIGID SUSP 100MM WH.

9621020

ACC. ELECMEC RIGID SUSP 250MM WH.

9621050

ACC. ELECMEC RIGID SUSP 500MM WH.

9621100

ACC. ELECMEC RIGID SUSP 1000MM WH.



Product code:

9621013

Description:

ACC. ELECMEC RIGID SUSP 100MM GR.

9621023

ACC. ELECMEC RIGID SUSP 250MM GR.

9621053

ACC. ELECMEC RIGID SUSP 500MM GR.

9621103

ACC. ELECMEC RIGID SUSP 1000MM GR.



Product code:

9621310

Description:

ACC. ELECMEC QUICK SUSP 1M WH.

9621340

ACC. ELECMEC QUICK SUSP 4M WH.



Product code:

9621313

Description:

ACC. ELECMEC QUICK SUSP 1M GR.

9621343

ACC. ELECMEC QUICK SUSP 4M GR.



Product code:

9681310

Description:

ACC. ELECMEC QUICK SUSP 1M 5P WH.

9681340

ACC. ELECMEC QUICK SUSP 4M 5P WH.



Product code:

9681313

Description:

ACC. ELECMEC QUICK SUSP 1M 5P GR.

9681343

ACC. ELECMEC QUICK SUSP 4M 5P GR.

ACCESORIES :

Support



Product code:

4706413

Description:

FIL ACC. PERP WALL BRACKET




Product code:

9600050

Description:

ACC. ADJ EXTEN WALL ARM WH.




Product code:

9600053

Description:

ACC. ADJ EXTEN WALL ARM GR.




Product code:

9600060

Description:

ACC. ADJ WALL ARM WH.



Product code:

9600063

Description:

ACC. ADJ WALL ARM GR.



Product code:

9607450

Description:

ACC. WALL BRACKET 75MM WH.



Product code:

9607453

Description:

ACC. WALL BRACKET 75MM GR.



Product code:

9607460

Description:

ACC. WALL BRACKET 300MM WH.



Product code:

9607463

Description:

ACC. WALL BRACKET 300MM GR.

ACCESORIES :

Optical

FIL 50



Product code:

4700590

Description:

FIL ACC. OPAL DIFFUSER X/MM