#### **Product datasheet**


# **FIL 50**

# 14781563



# FIL LED G2 PRISM REC 4600 WW DALI GR.

# Description:



Finish: Gloss grey

**Dimensions:** 1.700 x 66 x 67 mm Weight: 2.860 g

Installation: Recessed

1,710 x 52 x 80 mm Recessing measures:

# **TECHNICAL SPECIFICATIONS:**

Light output: 2.918 lm °K: 3000 Plum: 31,2W CRI: 80 Efficacy: 93,5 lm/w MacAdam: 3

Type: MID POWER TRIDONIC Power Supply: 220-240V 50/60Hz LED Lifetime: 50000 L80 B10 Gear: Adjustable DALI

Power: 28W

### Light output tolerance +/- 10%

AI

CLASE

IK 07































# FIL LED G2 PRISM REC 4600 WW DALI GR.

### **PHOTOMETRIC DATA:**

14741563  $_{\eta}$  = 100% Imax = 617 cd/klm UTE: 1,00B CIE: 75 96 99 100 100





	H (m)	D (m)	Emax	Emed
	1	1,31	1779	1256
	2	2,62	445	314
	3	3,93	198	140
1	4	5,24	111	78

#### **Product datasheet**

# **FIL 50**



# ACCESORIES:

#### **Assembly**



Prod	luct	cod	le:	
------	------	-----	-----	--

4700580 FIL ACC. REC PROFILE X/MM WH. 4700583 FIL ACC. REC PROFILE X/MM GR. 4705100 FIL ACC. COVER X/MM WH. FIL ACC. COVER X/MM GR. 4705103

Description:



Product code:

4705210 4705213

#### Description:

FIL ACC. REC 90° CORNER WH. FIL ACC. REC 90° CORNER GR.



## Product code:

4706450 FIL ACC. REC END COVER WH. 4706453 FIL ACC. REC END COVER GR.

Description:



#### Product code:

9600990

#### Description:

ACC. ELECTROSTATICS WRIST STRAP



# Product code:

Description: ACC. INTM JOINT B

Tel.

+34937366800