



4740590

**FIL + LED OPAL REC 4400 NW WH.****Description:**


Recessed luminaire model FIL + LED OPAL REC 4400 NW WH., LAMP brand. Made of matt white painted extruded aluminium with polycarbonate opal diffuser. Model for LED MID-POWER with neutral white colour temperature and control gear included. IP42, IK06 protection rating. Insulation class I. Photobiological safety group 0.


Finish: Matte white RAL 9010**Dimensions:** 1.162 x 89 x 70 mm**Weight:** 2.667 g**Installation:** Recessed**Recessing measures:** 1,174 x 78 x 85 mm**TECHNICAL SPECIFICATIONS:****Light output:** 3.545 lm**°K :** 4000**Plum:** 30,7W**CRI :** 80**Efficacy:** 115,5 lm/w**MacAdam:** 3**Type:** MID POWER PHILIPS**Power Supply:** 220-240V 50/60Hz**LED Lifetime:** 60.000 L80 B10**Gear:** Electronic**Power:** 28W**Light output tolerance +/- 10%**

4740590

FIL + LED OPAL REC 4400 NW WH.

PHOTOMETRIC DATA :



ACCESORIES :
Assembly**Product code:**

4700120

4700123

Description:

FIL + ACC. REC 90° CORNER WH.

FIL + ACC. REC 90° CORNER GR.

**Product code:**

4700390

4700393

Description:

FIL + ACC. COVER X/MM WH.

FIL + ACC. COVER X/MM GR.

**Product code:**


4700490

4700493

Description:

FIL + ACC. REC PROFILE X/MM WH.

FIL + ACC. REC PROFILE X/MM GR.

**Product code:**

4700680

4700683

Description:

FIL + ACC. REC END COVER WH.

FIL + ACC. REC END COVER GR.

**Product code:**

4806043

Description:

ACC. INTM JOINT

**Product code:**

9600990

Description:

ACC. ELECTROSTATICS WRIST STRAP

ACCESORIES :
Optical**Product code:**

4700400

Description:

FIL + ACC. OPAL DIFFUSER X/MM

