Product datasheet

FIL 70 TECH


4741233



FIL + LED TECH REC 2M 6400 WW GR.

Description:

Suspended or mounted surface luminaire model FIL + LED TECH SUS Suspended or mounted surface luminaire model FIL + LED TECH SUS 2M 3200 NW GR, LAMP brand. Made of satin grey painted extruded aluminium. Model for MID-POWER LED with neutral white colour temperature and control gear included, which consists of a two-phase reflection. Glare rating <19 (for 4h, 8h 70/50/20). Insulation class I. Photobiological safety group 0.



Finish: Gloss grey

2.000 x 70 x 70 mm Dimensions: Weight: 4.247 g

Installation: Recessed

Recessing measures: 2,012 x 78 x 85 mm

TECHNICAL SPECIFICATIONS:

Light output: 4.800 lm °K: 3000 44,7W Plum: CRI: 80

Efficacy: 107,3 lm/w

UGR: 19

Type: MID POWER NICHIA Power Supply: 220-240V 50/60Hz

LED Lifetime: 50.000 L80 B10 Gear:

Power: 42W

Light output tolerance +/- 10%















MacAdam:

3

Electronic





+34937366800

Tel.


FIL 70 TECH




4741233

FIL + LED TECH REC 2M 6400 WW GR.

PHOTOMETRIC DATA:





alpha = 82,1°	H (m)	D (m)	Emax	Emed
	1	1,74	3341	2001
	2	3,48	835	500
	3	5,22	371	222
	4	6,96	209	125

Product datasheet

FIL 70 TECH



ACCESORIES:

Assembly



Product code:

4700070 4700073



FIL + TECH ACC. REC 90° CORNER WH.
FIL + TECH ACC. REC 90° CORNER GR.



Product code:

4700680 4700683

Description:

FIL + ACC. REC END COVER WH. FIL + ACC. REC END COVER GR.



Product code:

4806043

Description:

ACC. INTM JOINT



Product code:

9600990

Description:

ACC. ELECTROSTATICS WRIST STRAP

ACCESORIES:

Optical



Product code:

Description:

9600880 ACC. DIF. SOFT TECH OPAL