#### **Product datasheet**

# **FIL 70**

# LAMP Worktitude for light

#### 4741273



#### FIL + OPAL REC FI T5 1X14/24W GR.

#### Description:

Recessed structure model FIL + OPAL REC FI T5 1X14/24W GR., LAMP brand. Made of satin grey lacquered extruded aluminium and final staggered reflector. Model for T5 1X14/24W lamp and multi-power control gear included. With opal polycarbonate diffuser. IP42 protection rating. Insulation class I.



Finish: Gloss grey

**Dimensions:** 550 x 89 x 70 mm **Weight:** 1.304 g

Installation: Recessed

Recessing measures: 545 x 78 x 85 mm

## **TECHNICAL SPECIFICATIONS:**

**Plum:** 18W/28W

 Type:
 T5/T16
 Power Supply:
 230V-50HZ

 Power:
 1X14/24W
 Gear:
 Electronic

Lampholder: G5





















# 4741273



## FIL + OPAL REC FI T5 1X14/24W GR.

#### **PHOTOMETRIC DATA:**





alpha = 106,5°	H (m)	D (m)	Emax	Emed
	1	2,68	322	108
	2	5,35	81	27
	3	8,03	36	12
	4	10,70	20	7

## **Product datasheet**

# **FIL 70**



# ACCESORIES:

# **Assembly**



Product code:

Description: 4700123 FIL + ACC. REC 90° CORNER GR.

Product code:

4806043

Description:

ACC. INTM JOINT

## **ACCESORIES:**

# Optical



Product code:

Description:

4700400 FIL + ACC. OPAL DIFFUSER X/MM

# **FIL 70**



