


4741693

**FIL + LED OPAL REC 2600 WW GR.****Description:**

Recessed luminaire model FIL + LED OPAL REC 2600 WW GR., LAMP brand. Made of satin grey painted extruded aluminium with opal polycarbonate diffuser. Model for LED MID-POWER with warm white colour temperature and control gear included. IP42, IK06 protection rating. Insulation class I. Photobiological safety group 0.

Finish: Gloss grey**Dimensions:** 1.162 x 89 x 70 mm**Weight:** 2.662 g**Installation:** Recessed**Recessing measures:** 1,174 x 78 x 85 mm**TECHNICAL SPECIFICATIONS:**


Light output:	1.992 lm	°K :	3000
Plum:	19,2W	CRI :	80
Efficacy:	103,8 lm/w	MacAdam:	3
Type:	MID POWER PHILIPS	Power Supply:	220-240V 50/60Hz
LED Lifetime:	60.000 L80 B10	Gear:	Electronic
Power:	17W		

Light output tolerance +/- 10%

4741693


FIL + LED OPAL REC 2600 WW GR.

PHOTOMETRIC DATA :



ACCESORIES :

Assembly




Product code:

4700123

Description:

FIL + ACC. REC 90° CORNER GR.



Product code:

4700683

Description:

FIL + ACC. REC END COVER GR.



Product code:

4806043

Description:

ACC. INTM JOINT



Product code:

9600990

Description:

ACC. ELECTROSTATICS WRIST STRAP

ACCESORIES :

Optical



Product code:

4700400

Description:

FIL + ACC. OPAL DIFFUSER X/MM

