Product datasheet

FIL 50

LAMP Worktitude for light

4741810



FIL OPAL REC T5 1X14/24W WH.

Description:

Recessed structure model FIL OPAL REC T5 1X14/24W WH., LAMP brand. Made of matt white lacquered extruded aluminium. Model for T5 1X14/24W lamp and multi-power control gear included. With opal polycarbonate diffuser. IP42 protection rating. Insulation class I.



Finish: Matte white RAL 9010

Dimensions: 660 x 66 x 67 mm **Weight:** 1.000 g

Installation: Recessed

Recessing measures: 670 x 52 x 80 mm

TECHNICAL SPECIFICATIONS:

Plum: 18W/28W

 Type:
 T5/T16
 Power Supply:
 230V-50HZ

 Power:
 1X14/24W
 Gear:
 Electronic

Lampholder: G5
























Data according to regulations 2019/2020/EU and 2019/2015/EU

4741810 FIL OPAL REC T5 1X14/24W WH.



PHOTOMETRIC DATA:

4741810 $\eta = 45\%$ Imax = 173 cd/klm
UTE: 0,45E + 0,00T
CIE: 49 80 98 100 45



Product datasheet

FIL 50



ACCESORIES:

Assembly



Product code:

4700580 4705100 Description:

FIL ACC. REC PROFILE X/MM WH.
FIL ACC. COVER X/MM WH.

90 mm 90 mm

Product code:

4705210

Description:

FIL ACC. REC 90° CORNER WH.



Product code:

4706450

Description:

FIL ACC. REC END COVER WH.



Product code:

9606010

Description:

ACC. INTM JOINT B

FIL 50



