Product datasheet

FIL 70

4741920



FIL + TRIM OPAL REC FI T5 1X35/49/80W

Description:

Trimless recessed structure model FIL + TRIM OPAL REC FI T5 1X35/49/80W, LAMP brand. Made of matt white lacquered extruded aluminium and final staggered reflector. Model for T5 1X35/49/80W lamp and multi-power control gear included. With opal polycarbonate diffuser. IP42 protection rating. Insulation class I.



Finish: Shiny white RAL 9010 1.443 x 86 x 70 mm Dimensions:

Installation: Recessed

Recessing measures: 1,445 x 90 x 85 mm

TECHNICAL SPECIFICATIONS:

Plum: 39W/53W/84W

Type: T5/T16 Power Supply: 230V-50HZ Power: 1X35/49/80W Gear: Electronic

Lampholder: G5















650°











FIL + TRIM OPAL REC FI T5 1X35/49/80W

PHOTOMETRIC DATA:





alpha = 106,5°	H (m)	D (m)	Emax	Emed
	1	2,68	1131	377
	2	5,35	283	94
	3	8,03	126	42
	4	10,70	71	24

Product datasheet

FIL 70



ACCESORIES:

Assembly



Product code:

4700390



Product code:

4700950

Description:

FIL + ACC. TRIM 90° CORNER



Product code:

Description:

Description:

FIL + ACC. COVER X/MM WH.

ACC. INTM JOINT

ACCESORIES:

Optical

4806043



Product code:

4700380

Description:

FIL + TRIM PROFILE X/MM WH.

Product code:

4700400

Description:

FIL + ACC. OPAL DIFFUSER X/MM

FIL 70





25-11-2024