Product datasheet

FIL 70

4741960



FIL + TRIM OPAL REC IND T5 1X14/24W

Description:

Trimless recessed structure model FIL + TRIM OPAL REC IND T5 1X14/24W, LAMP brand. Made of matt white lacquered extruded aluminium and individual staggered reflector. Model for T5 1X14/24W lamp and multi-power control gear included. With opal polycarbonate diffuser. IP42 protection rating. Insulation class I.



Finish: Shiny white RAL 9010 604 x 86 x 70 mm Dimensions:

Installation: Recessed

Recessing measures: 608 x 90 x 85 mm

TECHNICAL SPECIFICATIONS:

Plum: 18W/28W

Type: T5/T16 Power Supply: 230V-50HZ Power: 1X14/24W Gear: Electronic

Lampholder: G5






















PHOTOMETRIC DATA:

4741960 η = 51% Imax = 184 cd/klm UTE: 0,51E + 0,00T CIE: 47 78 97 100 51



FIL + TRIM OPAL REC IND T5 1X14/24W

alpha = 106,5°				

	H (m)	D (m)	Emax	Emed
	1	2,68	322	108
1	2	5,35	81	27
	3	8,03	36	12
	4	10,70	20	7

Data according to regulations 2019/2020/EU and 2019/2015/EU

Product datasheet

FIL 70



ACCESORIES:

Assembly



Product code: Description:

4700390 FIL + ACC. COVER X/MM WH.

ACCESORIES:

Optical



Product code: Description:

4700380 FIL + TRIM PROFILE X/MM WH.



Product code:

4700400

Description:

FIL + ACC. OPAL DIFFUSER X/MM

FIL 70





25-11-2024