


4780590


FIL + LED OPAL REC 4400 NW DALI WH.
Description:
Finish: Matte white RAL 9010

Dimensions: 1.162 x 89 x 70 mm

Weight: 2.667 g

Installation: Recessed

Recessing measures: 1,174 x 78 x 85 mm

TECHNICAL SPECIFICATIONS:
Light output: 3.545 lm

°K : 4000

Plum: 30,7W

CRI : 80

Efficacy: 115,5 lm/w

MacAdam: 3


Type: MID POWER PHILIPS

Power Supply: 220-240V 50/60Hz


LED Lifetime: 60.000 L80 B10


Gear: Adjustable DALI

Power: 28W

Light output tolerance +/- 10%


PHOTOMETRIC DATA :



ACCESORIES :
Assembly**Product code:**

4700120

4700123

Description:

FIL + ACC. REC 90° CORNER WH.

FIL + ACC. REC 90° CORNER GR.

**Product code:**

4700390

4700393

Description:

FIL + ACC. COVER X/MM WH.

FIL + ACC. COVER X/MM GR.

**Product code:**


4700490

4700493

Description:

FIL + ACC. REC PROFILE X/MM WH.

FIL + ACC. REC PROFILE X/MM GR.

**Product code:**

4700680

4700683

Description:

FIL + ACC. REC END COVER WH.

FIL + ACC. REC END COVER GR.

**Product code:**

4806043

Description:

ACC. INTM JOINT

**Product code:**

9600990

Description:

ACC. ELECTROSTATICS WRIST STRAP

ACCESORIES :
Optical**Product code:**

4700400

Description:

FIL + ACC. OPAL DIFFUSER X/MM

