




4780600

**FIL + LED OPAL REC 6600 NW DALI WH.****Description:****Finish:** Matte white RAL 9010**Dimensions:** 1.743 x 89 x 70 mm**Weight:** 4.276 g**Installation:** Recessed**Recessing measures:** 1,755 x 78 x 85 mm**TECHNICAL SPECIFICATIONS:****Light output:** 5.318 lm**°K :** 4000**Plum:** 45,8W**CRI :** 80**Efficacy:** 116,1 lm/w**MacAdam:** 3**Type:** MID POWER PHILIPS**Power Supply:** 220-240V 50/60Hz**LED Lifetime:** 50.000 L80 B10**Gear:** Adjustable DALI**Power:** 41W**Light output tolerance +/- 10%**


4780600

FIL + LED OPAL REC 6600 NW DALI WH.

PHOTOMETRIC DATA :



---

**ACCESORIES :**
**Assembly****Product code:**

4700120

4700123

**Description:**

FIL + ACC. REC 90° CORNER WH.

FIL + ACC. REC 90° CORNER GR.

**Product code:**

4700390

4700393

**Description:**

FIL + ACC. COVER X/MM WH.

FIL + ACC. COVER X/MM GR.

**Product code:**


4700490

4700493

**Description:**

FIL + ACC. REC PROFILE X/MM WH.

FIL + ACC. REC PROFILE X/MM GR.

**Product code:**

4700680

4700683

**Description:**

FIL + ACC. REC END COVER WH.

FIL + ACC. REC END COVER GR.

**Product code:**

4806043

**Description:**

ACC. INTM JOINT

**Product code:**

9600990

**Description:**

ACC. ELECTROSTATICS WRIST STRAP

---

**ACCESORIES :**
**Optical****Product code:**

4700400

**Description:**

FIL + ACC. OPAL DIFFUSER X/MM

