




4780693


**FIL + LED OPAL REC 2600 NW DALI GR.****Description:****Finish:** Gloss grey**Dimensions:** 1.162 x 89 x 70 mm**Weight:** 2.662 g**Installation:** Recessed**Recessing measures:** 1,174 x 78 x 85 mm**TECHNICAL SPECIFICATIONS:**

Light output:	2.143 lm	°K :	4000
Plum:	19,2W	CRI :	80
Efficacy:	111,6 lm/w	MacAdam:	3
Type:	MID POWER PHILIPS	Power Supply:	220-240V 50/60Hz
LED Lifetime:	60.000 L80 B10	Gear:	Adjustable DALI
Power:	17W		

Light output tolerance +/- 10%

PHOTOMETRIC DATA :



ACCESORIES :
Assembly**Product code:**

4700120

4700123

Description:

FIL + ACC. REC 90° CORNER WH.

FIL + ACC. REC 90° CORNER GR.

**Product code:**

4700390

4700393

Description:

FIL + ACC. COVER X/MM WH.

FIL + ACC. COVER X/MM GR.

**Product code:**


4700490

4700493

Description:

FIL + ACC. REC PROFILE X/MM WH.

FIL + ACC. REC PROFILE X/MM GR.

**Product code:**

4700680

4700683

Description:

FIL + ACC. REC END COVER WH.

FIL + ACC. REC END COVER GR.

**Product code:**

4806043

Description:

ACC. INTM JOINT

**Product code:**

9600990

Description:

ACC. ELECTROSTATICS WRIST STRAP

ACCESORIES :
Optical**Product code:**

4700400

Description:

FIL + ACC. OPAL DIFFUSER X/MM

