#### **Product datasheet**


# **FIL 70 TECH**

# 4781123



# FIL + LED TECH REC 1M 1600 WW DALI GR.

# Description:



Finish: Gloss grey

**Dimensions:** 1.000 x 70 x 70 mm Weight: 2.124 g

Installation: Recessed

1,012 x 78 x 85 mm Recessing measures:

# **TECHNICAL SPECIFICATIONS:**

Light output: 1.530 lm °K: 3000 Plum: 14,5W CRI: 80

Efficacy: 105,5 lm/w

UGR: 19

Type: MID POWER NICHIA Power Supply: 220-240V 50/60Hz LED Lifetime: 50.000 L80 B10 Gear: Adjustable DALI

MacAdam:

3

Power: 12W

#### Light output tolerance +/- 10%























# **FIL 70 TECH**




4781123

# FIL + LED TECH REC 1M 1600 WW DALI GR.

#### **PHOTOMETRIC DATA:**

4740203  $_{\eta}$  = 100% Imax = 716 cd/klm UTE: 1,00A Imax CIE: 85 100 100 100 100



alph	na = 81,0°

	H (m)	D (m)	Emax	Emed
	1	1,71	1861	1116
	2	3,42	465	279
1	3	5,13	207	124
	4	6,84	116	70

#### **Product datasheet**

# **FIL 70 TECH**



# ACCESORIES:

# **Assembly**



Product code:

4700070 4700073



FIL + TECH ACC. REC 90° CORNER WH.
FIL + TECH ACC. REC 90° CORNER GR.



Product code:

4700680 4700683

#### Description:

FIL + ACC. REC END COVER WH. FIL + ACC. REC END COVER GR.



Product code:

4806043

Description:

ACC. INTM JOINT



Product code:

9600990

Description:

ACC. ELECTROSTATICS WRIST STRAP

#### **ACCESORIES:**

#### Optical



Product code:

Description:

9600880 ACC. DIF. SOFT TECH OPAL