#### **Product datasheet**


## **FIL 70**

## 4781590



## FIL + LED OPAL REC 4400 WW DALI WH.

## Description:



Matte white RAL 9010 Finish: 1.162 x 89 x 70 mm Dimensions:

Weight: 2.667 g

Installation: Recessed

1,174 x 78 x 85 mm Recessing measures:

## **TECHNICAL SPECIFICATIONS:**

Light output: 3.370 lm °K: 3000 Plum: 30,7W CRI: 80 Efficacy: 109,8 lm/w MacAdam: 3

Type: MID POWER PHILIPS Power Supply: 220-240V 50/60Hz LED Lifetime: 60.000 L80 B10 Gear: Adjustable DALI

Power: 28W

### Light output tolerance +/- 10%
































## FIL + LED OPAL REC 4400 WW DALI WH.

#### **PHOTOMETRIC DATA:**







#### **Product datasheet**

#### **FIL 70**



# ACCESORIES:

# Assembly



Product code:

4700120 4700123



FIL + ACC. REC 90° CORNER WH. FIL + ACC. REC 90° CORNER GR.



Product code:

4700390 4700393

#### Description:

FIL + ACC. COVER X/MM WH.
FIL + ACC. COVER X/MM GR.



Product code:

4700490 4700493

#### Description:

FIL + ACC. REC PROFILE X/MM WH. FIL + ACC. REC PROFILE X/MM GR.



Product code:

4700680 4700683



FIL + ACC. REC END COVER WH. FIL + ACC. REC END COVER GR.



Product code:

4806043

## Description:

ACC. INTM JOINT



Product code:

9600990

## Description:

ACC. ELECTROSTATICS WRIST STRAP

## ACCESORIES:

## Optical



Product code:

Description:

4700400 FIL + ACC. OPAL DIFFUSER X/MM

# **FIL 70**



