## **Product datasheet**

## **TRACE 65**




## 5641512



# TRACE IP65 200 HOR 70 WW BK.

## Description:

Outdoor wall-recessed luminaire model TRACE IP65 200 HOR 70 WW BK., LAMP brand. Body made of injected aluminium and matt black serigraphed tempered glass. Model for MID-POWER LED with warm white colour temperature and control gear included. Texturised white lacquered aluminium asymmetric reflector. IP65, IK07 protection rating. Insulation class I.



Finish: CATAPHORESIS

Weight: 1.182 g

Installation: Wall recessed

# **TECHNICAL SPECIFICATIONS:**

 Light output:
 92 lm
  $^{\circ}$ K:
 3000

 Plum:
 2,7W
 CRI:
 80

 Efficacy:
 34 lm/w
 MacAdam:
 <3</td>

Type: MID POWER OSRAM Power Supply: 100-240V 50/60Hz

LED Lifetime: 100.000 L90 B10 Gear: Electronic

Power: 1.5W

## Light output tolerance +/- 10%




















# **TRACE 65**




5641512

# TRACE IP65 200 HOR 70 WW BK.

## **PHOTOMETRIC DATA:**





alpha = 600,0°	H (m)	D (m)	Emax	Emed
	1	0,00	-1	NAN
	2	0,00	0	NAN
	3	0,00	0	NAN
	4	0,00	0	NAN

# **Product datasheet**

# **TRACE 65**



ACCESORIES:

Assembly



Product code: Description:

5600733 TRACE IP65 ACC. 200 REC BOX