


5641622

**TRACE 200 VERT 70 WW BK.****Description:**

Wall-recessed luminaire model TRACE 200 VERT 70 WW BK., LAMP brand. Body made of bended iron metalsheet and matt black serigraphed tempered glass. Model for MID-POWER LED with warm white colour temperature and control gear included. Texturised white lacquered aluminium asymmetric reflector. IP40 protection rating. Insulation class I.

Finish: Matte black RAL 9011

Weight: 494 g

Installation: Wall recessed
TECHNICAL SPECIFICATIONS:

Light output:	94 lm	°K :	3000
Plum:	2,7W	CRI :	80
Efficacy:	35 lm/w	MacAdam:	3
Type:	MID POWER OSRAM	Power Supply:	220-240V 50/60Hz
LED Lifetime:	100.000 L90 B10	Gear:	Electronic
Power:	1.5W		




Light output tolerance +/- 10%


TRACE 20

5641622

TRACE 200 VERT 70 WW BK.

PHOTOMETRIC DATA :

<div>5641622</div> <div>η = 100%</div> <div>I_{max} = 358 cd/klm</div> <div>UTE: 0,42T</div> <div>CIE: 16 43 72 58 100</div> <div></div>		<div>alpha = 600,0°</div> <div></div>	<table><tr><th>H (m)</th><th>D (m)</th><th>E_{max}</th><th>E_{med}</th></tr><tr><td>1</td><td>0,00</td><td>-1</td><td>NAN</td></tr><tr><td>2</td><td>0,00</td><td>0</td><td>NAN</td></tr><tr><td>3</td><td>0,00</td><td>0</td><td>NAN</td></tr><tr><td>4</td><td>0,00</td><td>0</td><td>NAN</td></tr></table>	H (m)	D (m)	E _{max}	E _{med}	1	0,00	-1	NAN	2	0,00	0	NAN	3	0,00	0	NAN	4	0,00	0	NAN
H (m)	D (m)	E _{max}	E _{med}																				
1	0,00	-1	NAN																				
2	0,00	0	NAN																				
3	0,00	0	NAN																				
4	0,00	0	NAN																				

ACCESORIES :

Assembly



Product code:

5600713

Description:

TRACE ACC. 200 REC BOX