Product datasheet

BAULINE



5741543



BAULINE G2 REC 2500 WW MFL

Description:

Outdoor recessed structure model BAULINE G2 REC 2500 WW MFL, LAMP brand. Made of silver anodized aluminum extrusion and end covers of aluminum injection lacquered in silver grey polyester, with AISI304 stainless steel frame and serigraphed tempered glass. Model for LED MID-POWER, warm white colour temperature and control gear included. With Medium Flood optics. IP67, IK10 protection rating. Insulation class I.



Finish: Anodized matte silver

Dimensions: 679 x 80 x 100 mm **Weight:** 3.340 g

Installation: Floor recessed

TECHNICAL SPECIFICATIONS:

 Light output:
 1.960 lm

 •K:

 3000

 Plum:
 24,5W
 CRI:

 80

 Efficacy:
 80 lm/w
 MacAdam:

 3

Type: HIGH POWER CREE Power Supply: 220-240V 50/60Hz

LED Lifetime: 50.000 L90 B10 Gear: Electronic

Power: 21W

Light output tolerance +/- 10%

























+34937366800

Tel.

BAULINE



5741543


BAULINE G2 REC 2500 WW MFL

PHOTOMETRIC DATA:

5741543 $_{\eta}$ = 100% $_{lmax}$ = 4455 cd/klm UTE: 0,98T

CIE: 154 100 100 2 100





Product datasheet

BAULINE



ACCESORIES:

Assembly



Product code: Description:

5700013 BAULINE ACC. REC BOX + GEAR 2500

BAULINE



