## **Product datasheet**

#### **BAULINE**



#### 5741623



## **BAULINE G2 REC 5000 WW SP**

#### Description:

Outdoor recessed structure model BAULINE G2 REC 5000 WW SP, LAMP brand. Made of silver anodized aluminum extrusion and end covers of aluminum injection lacquered in silver grey polyester, with AISI304 stainless steel frame and serigraphed tempered glass. Model for LED MID-POWER, warm white colour temperature and control gear included. With Spot optics. IP67, IK10 protection rating. Insulation class I.



Finish: Anodized matte silver

**Dimensions:** 1.268 x 80 x 100 mm **Weight:** 5.480 g

Installation: Floor recessed

## **TECHNICAL SPECIFICATIONS:**

 Light output:
 3.740 lm
 %K:
 3000

 Plum:
 44,4W
 CRI:
 80

 Efficacy:
 82,4 lm/w
 MacAdam:
 3

Type: HIGH POWER CREE Power Supply: 220-240V 50/60Hz

LED Lifetime: 50.000 L90 B10 Gear: Electronic

Power: 41W

#### Light output tolerance +/- 10%

























## **BAULINE**



5741623


## **BAULINE G2 REC 5000 WW SP**

#### **PHOTOMETRIC DATA:**

5741623 η = 100% Imax = 8588 cd/klm UTE: 0,97T

CIE: 159 100 100 2 100





## **Product datasheet**

# **BAULINE**



ACCESORIES:

Assembly



Product code:

Description:

5700023

BAULINE ACC. REC BOX + GEAR 5000

# **BAULINE**



