Product datasheet

B-SIDE LED


5841303



B-SIDE 360° LED 850 1000 NW GR.

Description:

Bollard model B-SIDE 360° LED 850 1000 NW GR., LAMP brand. Made of texturised grey lacquered aluminium extrusion and injection, and translucent polycarbonate diffuser. 850mm in height. Its base has an anti-corrosion electro coating treatment. Model for COB LED, with neutral white colour temperature and control gear included. IP65, IK06 protection rating. Insulation class I.



Finish: Texturised grey

Dimensions: Ø 160 mm x 850 mm Weight: 4.384 g

Installation: Standing

TECHNICAL SPECIFICATIONS:

Light output: 451 lm °K: 4000 Plum: 10W CRI: 80 Efficacy: 45,1 lm/w MacAdam: 3

Type: COB PHILIPS Power Supply: 220-240V 50/60Hz

LED Lifetime: 50000 L90 B10 Gear: Electronic

8W Power:

Light output tolerance +/- 10%























B-SIDE LED




5841303

B-SIDE 360° LED 850 1000 NW GR.

PHOTOMETRIC DATA:

 η = 100% Imax = 3146 cd/klm UTE: 1,00A + 0,00T CIE: 94 98 100 100 100



Product datasheet

B-SIDE LED



ACCESORIES:

Optical



Product code: Description:

5800713 B-SIDE ACC. 180° SCREEN 56MM