#### **Product datasheet**

#### **B-SIDE LED**

# LAMP Worktitude for light

#### 5841343



# B-SIDE 360° LED 250 1000 NW GR.

#### Description:

Bollard model B-SIDE 360° LED 250 1000 NW GR., LAMP brand. Made of texturised grey lacquered aluminium extrusion and injection, and translucent polycarbonate diffuser. 250mm in height. Its base has an anti-corrosion electro coating treatment. Model for COB LED, with neutral white colour temperature and control gear included. IP65, IK06 protection rating. Insulation class I.



Finish: Texturised grey

Dimensions: Ø 160 mm x 250 mm Weight: 3.620 g

Installation: Standing

# **TECHNICAL SPECIFICATIONS:**

 Light output:
 451 lm
 °K:
 4000

 Plum:
 10W
 CRI:
 80

 Efficacy:
 45,1 lm/w
 MacAdam:
 3

Type: COB PHILIPS Power Supply: 220-240V 50/60Hz

LED Lifetime: 50000 L90 B10 Gear: Electronic

Power: 8W

#### Light output tolerance +/- 10%



















# **B-SIDE LED**




5841343

# B-SIDE 360° LED 250 1000 NW GR.

#### **PHOTOMETRIC DATA:**

5841343 η = 100% Imax = 251 cd/klm UTE: 0,86I + 0,15T CIE: 24 67 92 86 100



# **Product datasheet**

# **B-SIDE LED**



ACCESORIES:

Optical



Product code: Description:

5800713 B-SIDE ACC. 180° SCREEN 56MM