


FLUT 280

6641034



FLUT SYM 17500 NW WFL ANT.

Description:

Surface mounting outdoor luminaire model FLUT SYM 17500 NW WFL ANT., LAMP brand. Manufactured in aluminium injection body lacquered in anthracite colour and serigraphed tempered glass. Made of AISI304 inox steel bended axle. Body's low height of 60mm. Model for HI-POWER LED, neutral white colour and control gear included. With symmetric Wide Flood optics. IP66, IK06 protection rating. Insulation class I. Its axle allows swivels between 90° and -30°.

Finish: Textured anthracite

Weight: 7.128 g


Maximum surface exposed to wind: 0.12 M2

Installation: Surface

TECHNICAL SPECIFICATIONS:

Light output:	15.188 lm	°K :	4000
Plum:	123,5W	CRI :	70
Efficacy:	123 lm/w	MacAdam:	4
Type:	HI POWER OSRAM	Power Supply:	220-240V 50/60Hz
LED Lifetime:	100.000 L90 B10	Gear:	Electronic
Power:	117W		


Light output tolerance +/- 10%



6641034

FLUT SYM 17500 NW WFL ANT.

PHOTOMETRIC DATA :



ACCESORIES :

Support



Product code: 9601323
Description: SHOT/FLUT ACC. IND LG FI Ø60 ARM



Product code: 9601333
Description: SHOT/FLUT ACC. IND SH FI Ø60 ARM



Product code: 9601683
Description: SHOT/FLUT ACC. IND LG INTM ARM



Product code: 9601693
Description: SHOT/FLUT ACC. IND SH INTM ARM



Product code: 9601853
Description: SHOT/FLUT ACC. LG WALL ARM



Product code: 9602323
Description: SHOT/FLUT ACC. DB LG FI Ø60 ARM



Product code: 9602333
Description: SHOT/FLUT ACC. DB SH FI Ø60 ARM



Product code: 9603323
Description: SHOT/FLUT ACC. IND LG FI Ø76 ARM



Product code: 9603333
Description: SHOT/FLUT ACC. IND SH FI Ø76 ARM



Product code: 9604323
Description: SHOT/FLUT ACC. DB LG FI Ø76 ARM

FLUT 280



Product code:

9604333

Description:

SHOT/FLUT ACC. DB SH FI Ø76 ARM




Product code:

9607353

Description:

SHOT/FLUT ACC. Ø60-135 POLE BRACKET GR.



Product code:

9607363

Description:

SHOT/FLUT ACC. DB Ø120-130 CLAMP GR.

9608363

SHOT/FLUT ACC. IND Ø120-130 CLAMP GR.