

MINI FLUT

6641924



MINI FLUT SYM 3000 WW WFL ANT.

Description:


Surface mounting outdoor luminaire model MINI FLUT SYM 3000 WW WFL ANT., LAMP brand. Manufactured in aluminium injection body lacquered in anthracite colour and serigraphed tempered glass. Made of AISI304 inox steel bended axle. Body's low height of 60mm. Model for HI-POWER LED, warm white colour and control gear included. With symmetric Wide Flood optics. IP66, IK07 protection rating. Insulation class I. Its axle allows swivels between 90° and -30°.

Finish: Textured anthracite

Weight: 4.070 g

Maximum surface exposed to wind: 0.04 M2


Installation: Surface



TECHNICAL SPECIFICATIONS:

Light output:	2.778 lm	°K :	3000
Plum:	22,3W	CRI :	70
Efficacy:	124,6 lm/w	MacAdam:	4
Type:	HI POWER OSRAM	Power Supply:	220-240V 50/60Hz
LED Lifetime:	100.000 L90 B10	Gear:	Electronic
Power:	20W		

Light output tolerance +/- 10%




MINI FLUT

6641924

MINI FLUT SYM 3000 WW WFL ANT.

PHOTOMETRIC DATA :



ACCESORIES :

Support




Product code:

9607353

Description:

SHOT/FLUT ACC. Ø60-135 POLE BRACKET GR.



Product code:

9607363

Description:

SHOT/FLUT ACC. DB Ø120-130 CLAMP GR.

9608363

SHOT/FLUT ACC. IND Ø120-130 CLAMP GR.