Product datasheet

DOT SPOT



7040370



DOT OPAL 2M 6400 NW WH.

Description:

Suspended or mounted surface structure model DOT OPAL 2M 6400 NW WH., LAMP brand. Made of matt white-lacquered extruded aluminium. Model for MID-POWER LED, neutral white colour temperature and control gear included. With opal polycarbonate diffuser. IP42 protection rating. Insulation class I.



Finish: Matte white RAL 9010

Weight: 3.784 g

Installation: Suspended

TECHNICAL SPECIFICATIONS:

 Light output:
 4.465 lm
 °K:
 4000

 Plum:
 67W
 CRI:
 80

 Efficacy:
 66,6 lm/w
 MacAdam:
 3

Type: MID POWER SAMSUNG Power Supply: 220-240V 50/60Hz

LED Lifetime: 50.000 L80 Gear: Electronic

Power: 62W

Light output tolerance +/- 10%




















DOT SPOT





7040370

DOT OPAL 2M 6400 NW WH.

PHOTOMETRIC DATA:







H (m)	D (m)	Emax	Emed
1	2,11	1885	804
2	4,21	471	201
3	6,32	209	89
4	8,42	118	50

Product datasheet

DOT SPOT



ACCESORIES:

Assembly



Product code:

4806043



ACC. INTM JOINT



Product code:

7000510



DOT ACC. END COVER WH.



Product code:

7000511

Description:

DOT ACC. END COVER OG.



Product code:

7000512

Description:

DOT ACC. END COVER GRP.



Product code:

7000520 7000523

Description:

DOT ACC. 90° CORNER JOINT WH.

DOT ACC. 90° CORNER JOINT AND.



Product code:

7000530 7000533

Description:

DOT ACC. PROFILE X/MM WH.
DOT ACC. PROFILE X/MM AND.



Product code:

7000540 7000543

Description:

DOT ACC. COVER X/MM WH.
DOT ACC. COVER X/MM AND.



Product code:

9600990

Description:

ACC. ELECTROSTATICS WRIST STRAP

ACCESORIES:

Suspension

Data according to regulations 2019/2020/EU and 2019/2015/EU

Product datasheet

DOT SPOT





Product code:

9608633



Product code:

9628630

Description:

ACC. ELECMEC Y 180MM 3P SUSP WH.



Product code:

Description: 9628633

ACC. ELECMEC Y 180MM 3P SUSP GR.

Description:

ACC. Y 180MM STEEL CABLE NK.