


SHOT 380

7540703



SHOT 380 LED 7500 NW SP GR.

Description:

Outdoor projector model SHOT 380 LED 7500 NW SP GR., LAMP brand. Manufactured with texturized grey lacquered die cast aluminium, with tempered glass, stainless steel screws and silicone gasket. Passive dissipation for thermal management. Model for LED HI-POWER, neutral white colour temperature and control gear included. With Spot optics. IP65, IK08 protection rating. Insulation class I.

Finish: Texturised grey**Weight:** 12.380 g**Maximum surface exposed to wind:** 0.13 M2**Installation:** Surface**TECHNICAL SPECIFICATIONS:**


Light output:	6.016 lm	°K :	4000
Plum:	51W	CRI :	70
Efficacy:	118 lm/w	MacAdam:	4
Type:	HI POWER OSRAM	Power Supply:	220-240V 50/60Hz
LED Lifetime:	50.000 L90 B10	Gear:	Electronic
Power:	45W		

Light output tolerance +/- 10%

7540703

SHOT 380 LED 7500 NW SP GR.

PHOTOMETRIC DATA :



ACCESORIES :

Support



Product code:

9601323

Description:

SHOT/FLUT ACC. IND LG FI Ø60 ARM



Product code:

9601333

Description:

SHOT/FLUT ACC. IND SH FI Ø60 ARM



Product code:

9601683

Description:

SHOT/FLUT ACC. IND LG INTM ARM



Product code:

9601693

Description:

SHOT/FLUT ACC. IND SH INTM ARM



Product code:

9601853

Description:

SHOT/FLUT ACC. LG WALL ARM



Product code:

9602323

Description:

SHOT/FLUT ACC. DB LG FI Ø60 ARM



Product code:

9602333

Description:

SHOT/FLUT ACC. DB SH FI Ø60 ARM



Product code:

9603323

Description:

SHOT/FLUT ACC. IND LG FI Ø76 ARM



Product code:

9603333

Description:

SHOT/FLUT ACC. IND SH FI Ø76 ARM



Product code:

9604323

Description:

SHOT/FLUT ACC. DB LG FI Ø76 ARM

SHOT 380



Product code:

9604333

Description:

SHOT/FLUT ACC. DB SH FI Ø76 ARM




Product code:

9607353

Description:

SHOT/FLUT ACC. Ø60-135 POLE BRACKET GR.



Product code:

9607363

Description:


SHOT/FLUT ACC. DB Ø120-130 CLAMP GR.

9608363

SHOT/FLUT ACC. IND Ø120-130 CLAMP GR.

ACCESORIES :

Optical



Product code:

7507752

Description:

SHOT 380 ACC. ANTIGLARE SCREEN

