


8141163

**SMAP LED STREET 6000 NW GR****Description:**


Street luminaire model SMAP LED STREET 6000 NW GR., LAMP brand. Body manufactured of texturised grey lacquered aluminum injection, with serigraphed tempered flat glass. Passive dissipation. Model for HI-POWER LED, neutral white color temperature and control gear included. With street optics. IP65, IK08 protection rating. Insulation class I. Its ball joint allows swiveling the light between 0° and 30°.

Finish: Texturised grey**Weight:** 11.024 g**Maximum surface exposed to wind:** 0.12 M2**Installation:** Integrated in light-pole**TECHNICAL SPECIFICATIONS:**

Light output:	5.253 lm	°K :	4000
Plum:	44,2W	CRI :	70
Efficacy:	118,8 lm/w	MacAdam:	<4
Type:	HIGH POWER OSRAM	Power Supply:	220-240V 50/60Hz
LED Lifetime:	50.000 L90 B10	Gear:	Electronic
Power:	39W		

Light output tolerance +/- 10%

PHOTOMETRIC DATA :



ACCESORIES :
Assembly**Product code:**

9600893

9600913

Description:

POLE ACC. 205MM FIXATION PATTERN

POLE ACC. 285MM FIXATION PATTERN

**Product code:**

9600953

9600973

Description:

POLE ACC. M18 BOLT SET

POLE ACC. M22 BOLT SET

ACCESORIES :
Support**Product code:**

8100013

Description:

SMAP ACC. WALL ARM GR.

**Product code:**

9601903

9601913

9601923

9601933

9601943

9602933

9602943

9603943

Description:

SMAP ACC. 4M POLE GR.

SMAP ACC. 5M POLE GR.

SMAP ACC. 6M POLE GR.

SMAP ACC. 7M A POLE GR.

SMAP ACC. 9M A POLE GR.

SMAP ACC. 7M B POLE GR.

SMAP ACC. 9M B POLE GR.

SMAP ACC. 9M C POLE GR.

