


8141543

**NIU LED STREET CL.I 4500 GR.****Description:**

Urban luminaire NIU LED STREET CL.I 4500 GR., LAMP brand. Made of texturised grey lacquered aluminium injection and flat tempered serigraphed glass. Model for HI-POWER LED with neutral white colour temperature and control gear included. With street optics. IP66, IK10 protection rating. Insulation class I. To adapt to Ø60mm.

Finish: Texturised grey**Weight:** 12.450 g**Maximum surface exposed to wind:** 0.18 M2**Installation:** Integrated in light-pole**TECHNICAL SPECIFICATIONS:**


Light output:	3.439 lm	°K :	4000
Plum:	52W	CRI :	70
Efficacy:	66,1 lm/w		
Type:	HI POWER CREE	MacAdam:	4
LED Lifetime:	50.000 L90	Power Supply:	220-240V 50/60Hz
Power:	48W	Gear:	Electronic

Light output tolerance +/- 10%

8141543

NIU LED STREET CL.I 4500 GR.

PHOTOMETRIC DATA :



ACCESORIES :

Assembly



Product code:

9600313

Description:

NIU ACC. IND Ø60 ARM



Product code:

9600353

Description:

NIU ACC. Ø76 POLE ADAPTER

ACCESORIES :

Support



Product code:

9600323

Description:

NIU ACC. IND Ø60-135 POLE CLAMP



Product code:

9600333

Description:

NIU ACC. Ø48 POLE BRACKET

9600343

NIU ACC. Ø60 POLE BRACKET



Product code:

9600363

Description:

NIU ACC. WALL ARM