Product datasheet

TRAIN

8741102



TRAIN IND SRT 300 WW GRH.

Description:

Straight individual surface mounting downlight model TRAIN IND SRT 300 WW GRH., LAMP brand. Made of texturised graphite lacquered extruded aluminium. Model for LED MID-POWER, with warm white colour temperature and control gear included. It has a patented optical unit made of metallized matte ABS for high visual comfort (UGR<19). Insulation class I.



Finish: Texturised graphite RAL 7021

Weight: 570 g

Installation: Surface

TECHNICAL SPECIFICATIONS:

Light output: 308 lm °K: 3000 Plum: 8,4W CRI: 80 Efficacy: 36,7 lm/w MacAdam: 3

Type: COB CITIZEN **Power Supply:** 100-240V 50/60Hz

LED Lifetime: 75.000 L80 B10 Gear: Electronic

6W Power:

Light output tolerance +/- 10%






















TRAIN





8741102

TRAIN IND SRT 300 WW GRH.

PHOTOMETRIC DATA:







_	· · · · · · · · · · · · · · · · · · ·				
	H (m)	D (m)	Emax	Emed	
	1	1,72	157	86	
	2	3,44	39	21	
	3	5,16	17	10	
	4	6,88	10	5	

TRAIN





