Product datasheet

TRAIN




8741120



TRAIN IND SUS 300 WW WH.

Description:

Individual suspended downlight model TRAIN IND SUS 300 WW WH., LAMP brand. Made of texturised white lacquered extruded aluminium. Model for LED MID-POWER, with warm white colour temperature and control gear included. It has a patented optical unit made of metallized matte ABS for high visual comfort (UGR<19). Insulation class I.



Finish: Texturised white

Weight: 750 g

Installation: Suspended

TECHNICAL SPECIFICATIONS:

 Light output:
 308 lm
 ⁰K:
 3000

 Plum:
 8,4W
 CRI:
 80

 Efficacy:
 36,7 lm/w
 MacAdam:
 3

Type: COB CITIZEN Power Supply: 100-240V 50/60Hz

LED Lifetime: 75.000 L80 B10 Gear: Electronic

Power: 6W

Light output tolerance +/- 10%

AI

CLASE

IP 20











+34937366800

Tel.


TRAIN






TRAIN IND SUS 300 WW WH.

PHOTOMETRIC DATA:





alpha =	81,4°

H (m)	D (m)	Emax	Emed
1	1,72	157	86
2	3,44	39	21
3	5,16	17	10
4	6,88	10	5

TRAIN





