Product datasheet

AMBIENT




8840200



AMBIENT LED 700MM 2600 WW WH.

Description:

Wall-washing luminaire with direct and indirect light to mount to walls or ceilings model AMBIENT LED 700MM 2600 WW WH., LAMP brand. Made of matt white painted aluminium extrusion and glazed polycarbonate diffuser. Model for MID-POWER LED, warm white colour temperature and control gear included. IP40, IK06 protection rating. Insulation class I.



Finish: Matte white RAL 9010

Dimensions: 700 x 75 x 108 mm **Weight**: 1.656 g

Installation: Wall mounted

TECHNICAL SPECIFICATIONS:

 Light output:
 1.950 lm
 °K:
 3000

 Plum:
 18,8W
 CRI:
 80

 Efficacy:
 103,7 lm/w
 MacAdam:
 3

Type: MID POWER TRIDONIC Power Supply: 220-240V 50/60Hz

LED Lifetime: 50.000 L80 B10 Gear: Electronic

Power: 16W

Light output tolerance +/- 10%

AI

CLASE

IK 06 IP 40









AMBIENT


8840200





PHOTOMETRIC DATA:

8840200 η = 100% Imax = 216 cd/klm UTE: 0,50D + 0,50T CIE: 56 85 100 50 100



AMBIENT LED 700MM 2600 WW WH.

AMBIENT



